



UMMANNAK

SPECIFICATIONS

Plant Capacity


UNIT

	SPECIFICATIONS	UNIT	
Mixer Specifications	Plant Capacity	m³/h	30
	Mixer Specifications	m³/h	0,5
	Dry Filling Volume	Litre	750
	Compacted Concrete	Litre	500
	Motor Power	kW	22
Weighing Bin Capacity	Cement Weighing Capacity	kg	300
	Water Weighing Capacity	kg	150
	Additive Weighing Capacity	kg	20
	Aggregate Compartments	Adet	4
Aggregate Bin	Bin Capacity	m³	5
	Aggregate Weighing Capacity	kg	2000
	Width	mm	650
Transfer Belts	Length	mm	3200
	Motor Power	kW	4
	Diameter	Ø	193
Cement Screw Conveyor	Length	mm	6500
	Motor Power	kW	7,5
	Pressure	bar	6-8
Air Compressor	Air Tank	Litre	200
	Store House	L/dk	410
	Motor Power	kW	3
	Weight	ton	12
Total Power		kW	60
Transport Type	1 Container		



ALACAHOYÜK

MINI MOBILE 30 M³ CONCRETE BATCHING PLANT (TOWABLE TYPE-SITE TYPE)



OUR MIXER QUALITY



*Mixer top lid is available.



*Electric motor is available. *Gear-box Cobra/Ermaksan/ Italian brand is used.



*Stop button for any problems that may arise with the mixer is available.



*Hydraulic cylinder is available.



*Hydraulic unit is available.

*Top maintenance lid for easy mixer maintenance is available.



CONTACT US!

UMMAN A.S.
Adres: İvedik O.S.B 1341.Cad.
No:71 Yenimahalle / ANKARA

Phone: +90 312 394 19 90
Fax: +90 312 394 19 91

E-mail: info@umman.com.tr
Web: www.umman.com.tr





* Mixer wear-resistant parts are made of Ni-Hard material.



*Mixer paddles are made of Ni-Hard material. *Mixer arm group is made of Hardox/St-52 material.

OUR TRANSFER CONVEYOR QUALITY



*Drum coating is available. *KR type reducer is used.



*Guide roller part is available. *SNL bearing type is used.

OUR WEIGHING LAYER QUALITY



*Cement weighing bin is available.



*Water weighing bin is available.



*Additive weighing bin is available.



*Pneumatic actuator is available. (CP101)
*Position indicator is available.(MIC23)



*Pneumatic actuator is available. (CP101)
*Position indicator is available.(MIC23)



*1" ball valve with actuator is available.



*Flap is available.



*Vibromotor is available.



*Flap is available.



**Valve is available.

CONTACT US!

UMMAN A.S.
Adres: İvedik O.S.B 1341.Cad.
No:71 Yenimahalle / ANKARA

Phone: +90 312 394 19 90
Fax: +90 312 394 19 91

E-mail: info@umman.com.tr
Web: www.umman.com.tr



